

Smaller, more intelligent,  
more sensitive  
thePiccola motion  
and presence detectors



## Minimum dimensions for maximum lighting control

thePiccola, the new mini detector from Theben, measures just **45 millimetres**. It fits cleanly and elegantly into the ceilings of storage rooms, toilets and short passageways – making it barely noticeable. Its performance features, however, certainly do make it stand out: thePiccola switches the light on taking the room brightness and the presence of people into consideration.

What's more, it features the wide range of impressive functions that you have come to expect from Theben products such as quick and easy installation thanks to spring clips and the ability to set up the detector either directly on the sensor head or conveniently from the ground via remote control (only thePiccola P). **And the whole package is rounded off nicely with the test, teach-in and pulse functions.**

Thanks to its high-performance relays with tungsten pre-contact, the high LED switch-on currents are no problem at all for thePiccola.



### Beautiful detail


thePiccola is available as a motion detector or as a presence detector. Both detector types look the same, which guarantees a uniform appearance in all rooms and building areas.



# Hidden champion

## thePiccola motion and presence detectors

If you look behind the scenes, it becomes clear that in thePiccola the sensor head and power supply unit are going their separate ways. The result is a small sensor head with a diameter of just 45 mm. The power supply unit can be tucked away in false ceilings.



Original size


### thePiccola S360-100 DE WH motion detector

- Passive infrared motion detector for ceiling installation
- Circular 360° detection area, up to Ø 8 m (50 m<sup>2</sup>)
- High switching capacity thanks to tungsten pre-contact
- Quick assembly and installation with spring clips
- 1 light channel
- Pulse function, teach-in function
- Settings via potentiometer
- Master/slave parallel switching
- Recommended installation height 2–4 m
- LED lamp load up to 200 W
- Operating voltage 110–240 V AC
- Item no. 1060200



## thePiccola P360-100 DE WH presence detector

- Passive infrared presence detector for ceiling installation
- Circular 360° detection area, up to Ø 8 m (50 m<sup>2</sup>)
- High switching capacity thanks to tungsten pre-contact
- Quick assembly and installation with spring clips
- 1 light channel
- Pulse function, teach-in function
- Settings via potentiometer
- Remote controlled via theSenda S and P, SendoPro A-868
- Manual switching on and off
- Recommended installation height 2–4 m
- LED lamp load up to 200 W
- Operating voltage 110–240 V AC
- Item no. 2090200 (available from April 2016)



### **Extensive detection**

Nothing gets past this little detector. As a presence detector, the Piccola detects every seated motion within a 4-metre diameter. As a motion detector, it can even cover an area of 50 m<sup>2</sup> (installation height 2.5 m).

# Easier to use and install

## Safer and more convenient to use

### Common functions

---



**High  
switching  
capacity**



**Quick  
assembly and  
installation**



**Practical  
pulse function**



**Simple  
setting**



**Practical  
test function**



**Reliable  
teach-in  
function**

### thePiccola S motion detector

---



**Master/slave  
parallel  
switching**



**Easy-to-use  
remote control**



**Manual  
switching  
on and off**

# Easy to use, safe, precise theSenda remote controls for thePiccola P presence detectors



theSenda P  
service remote control



theSenda S  
user remote control

---

As an option, thePiccola P can also be set with the SendoPro 868-A management remote control.

# theben

energy saving comfort

**Theben AG**

Hohenbergstraße 32 | 72401 Haigerloch | Germany

Phone +49 7474 692-0 | Fax +49 7474 692-150

info@theben.de | www.theben.de

1316

Subject to technical changes and improvements.